

SUPPLIES & ACCESSORIES

ELECTROCARDIOGRAPHY

IEC Color Coding



ECG Combiner Lead Wires & Cables

Hospitals are equipped with numerous monitors and other devices that use ECG lead wires, each with their own unique connectors which complicates patient transfers, undermines efficiency, and makes purchasing and maintenance more complex. Our ECG combiner lead wire system can standardize most equipment to one lead wire. The reusable or disposable lead wire sets are available in a variety of leads and lengths with either a snap or a multi-pinch electrode interface. Validated for use with Spacelabs command modules 90496/91496 and Aria/Ultraview Telemetry systems.



Order Code	Description	Length	Qty
------------	-------------	--------	-----

ECG Combiner Lead Wire Sets - requires ECG Combiner Cable or Adapter



Multi-pinch

Disposable, DIN Shielded, Multi-Pinch, IEC

700-0006-42	3 Lead	Multi-Pinch	127cm /50 in	25 Sets
700-0006-44	5 Lead	Multi-Pinch	127cm /50 in	25 Sets
700-0006-33	5 Lead (V-Lead)	Multi-Pinch	127cm /50 in	25 Sets



Snap

Disposable, DIN Shielded, Snap, IEC

700-0007-42	3 Lead	Snap	127cm /50 in	25 Sets
700-0007-45	5 Lead	Snap	127cm /50 in	25 Sets



Multi-pinch

Reusable, DIN Shielded, Multi-Pinch, IEC

700-0006-41	3 Lead	Multi-Pinch	74cm /29 in	1 Set
700-0006-43	5 Lead	Multi-Pinch	74cm /29 in	1 Set
700-0006-38	5 Lead (V-Lead)	Multi-Pinch	74cm /29 in	1 Set



Snap

Reusable, DIN Shielded, Snap, IEC

700-0007-41	3 Lead	Snap	74cm /29 in	1 Set
700-0007-44	5 Lead	Snap	74cm /29 in	1 Set

ECG Combiner Lead Wires & Cables

Hospitals are equipped with numerous monitors and other devices that use ECG lead wires, each with their own unique connectors which complicates patient transfers, undermines efficiency, and makes purchasing and maintenance more complex. Our ECG combiner lead wire system can standardize most equipment to one lead wire. The reusable or disposable lead wire sets are available in a variety of leads and lengths with either a snap or a multi-pin electrode interface. Validated for use with Spacelabs command modules 90496/91496 and Aria/Ultraview Telemetry systems.



Order Code	Description	Length	Qty
------------	-------------	--------	-----

ECG Combiner Cables

Spacelabs Connect Hardwired Cables for monitors using Command Module (90496/91496)



700-0008-81	3 Lead	IEC	305 cm/10 ft	1 Cable
-------------	--------	-----	--------------	---------



700-0008-83	5 Lead	IEC	305 cm/10 ft	1 Cable
-------------	--------	-----	--------------	---------



700-0008-84	10 Lead (5+5)	IEC	305 cm/10 ft	1 Cable
-------------	---------------	-----	--------------	---------

ECG Lead Wires & Cables - Shielded

IEC color coded shielded ECG lead wires and cables for use with Spacelabs Command Modules 90496 & 91496 and mCare Monitor 91220.



Shielded Lead Wire



91496

Order Code	Description	Length	Qty
------------	-------------	--------	-----

ECG Lead Wire Sets, Shielded, Reusable, IEC



Snap

Snap Sets			
700-0007-01	3 Lead, shielded	61 cm/24 in	1 Set
700-0007-03	3 Lead, shielded	102 cm/40 in	1 Set
700-0007-09	5 Lead, shielded	61 cm/24 in	1 Set
700-0007-11	5 Lead, shielded	102 cm/40 in	1 Set
700-0007-17*	10 Lead, limb/chest, shielded	61 cm/24 in	1 Set
700-0007-19*	10 Lead, limb/chest, shielded	102 cm/40 in	1 Set

*10 Lead ECG Lead Wire Sets not compatible with mCare Monitor 91220



Pinch

Pinch Sets			
700-0006-01	3 Lead, shielded	61 cm/24 in	1 Set
700-0006-03	3 Lead, shielded	102 cm/40 in	1 Set
700-0006-09	5 Lead, shielded	61 cm/24 in	1 Set
700-0006-11	5 Lead, shielded	102 cm/40 in	1 Set
700-0006-17	10 Lead, limb/chest, shielded	61 cm/24 in	1 Set
700-0006-19	10 Lead, limb/chest, shielded	102 cm/40 in	1 Set

*10 Lead ECG Lead Wire Sets not compatible with mCare Monitor 91220

ECG Lead Wires & Cables - Shielded

IEC color coded shielded ECG lead wires and cables for use with Spacelabs Command Modules 90496 & 91496 and mCare Monitor 91220.



Shielded Lead Wire



91496

Order Code	Description	Length	Qty
------------	-------------	--------	-----

ECG Lead Wires, Individual Colors, Shielded, Reusable, IEC



24" Snap Individual Color

012-0698-00	Red	61 cm/24 in	3/Pack
012-0698-01	Green	61 cm/24 in	3/Pack
012-0698-03	White	61 cm/24 in	5/Pack
012-0698-04	Black	61 cm/24 in	3/Pack
012-0498-02	Yellow	61 cm/24 in	3/Pack



Snap

40" Snap Individual Color

012-0498-26	Yellow	102 cm/40 in	3/Pack
012-0698-06	Red	102 cm/40 in	3/Pack
012-0698-07	Green	102 cm/40 in	5/Pack
012-0698-08	White	102 cm/40 in	3/Pack
012-0698-09	Black	102 cm/40 in	3/Pack

ECG Cables, Shielded, IEC



With 17 PIN Adapter

700-0008-09	3 Lead, shielded	305 cm/10 ft	1 Cable
700-0008-07	5 Lead, shielded	305 cm/10 ft	1 Cable
700-0008-01	10 Lead, shielded	305 cm/10 ft	1 Cable

ECG Lead Wires & Cables - Shielded

IEC color coded shielded ECG lead wires and cables for use with Spacelabs Command Modules 90496 & 91496 and mCare Monitor 91220.



Shielded Lead Wire



91496

Order Code	Description	Length	Qty
------------	-------------	--------	-----

ECG Accessories




Electrodes			
690-0289-00	ECG electrode, transparent tape, adult, single use	Adult	30/Box
690-0262-00	ECG electrode, transparent tape, general/stress	Adult	30/Box

Neonatal ECG Supplies & Accessories



DIN Unshielded, Neonatal ECG Cable			
700-0008-13	3 Lead		1 Cable



DIN Unshielded, Neonatal Electrodes			
685-0037-00	Pre-wired neonatal electrodes, single use Pre-gelled. Silver/Silver Chloride	3-Lead	100 Sets/Box



Electrode			
690-0290-00	ECG electrode, transparent tape, pediatric/neonatal, single use	Ped/Neo	30/Box

DIN Unshielded Lead Wires & Telemetry

TruLink ECG Din unshielded reusable lead wires are validated for use with Spacelabs telemetry systems. They are available in 3 and 5-lead sets, or available to purchase individually in color-coded multi-packs. They can be ordered with a snap or pinch electrode interface. A grouper adapter is also available to help manage leads for a quick connection to the transmitter. Validated for use with models 90341, 90343, 90347, 91341, 91343, 91347 and 96281.



DIN Un-Shielded



Order Code	Description	Length/Size	Qty
------------	-------------	-------------	-----

ECG Lead Wire Sets, DIN Unshielded, Reusable, IEC



Snap Sets

012-0328-10	5 Lead	61 cm/24 in	1 Set
-------------	--------	-------------	-------



Pinch

Pinch Sets

012-0325-10	3 Lead	61 cm/24 in	1 Set
012-0327-10	5 Lead	61 cm/24 in	1 Set

ECG Lead Wires, Individual Colors, DIN Unshielded, Reusable, IEC



Snap

Snap Individual Color

012-0295-07	Red	61 cm/24 in	3/Pack
012-0295-17	White	61 cm/24 in	3/Pack
012-0295-27	Black	61 cm/24 in	3/Pack
012-0295-38	Green	61 cm/24 in	3/Pack
012-0295-48	Yellow	61 cm/24 in	3/Pack

For use with DIN Unshielded Lead Wires

706-0190-00	Aria Telemetry Grouper (96281), IEC		5/Bag
-------------	-------------------------------------	--	-------

DIN Unshielded Lead Wires & Telemetry

TruLink ECG Din unshielded reusable lead wires are validated for use with Spacelabs telemetry systems. They are available in 3 and 5-lead sets, or available to purchase individually in color-coded multi-packs. They can be ordered with a snap or pinch electrode interface. A grouper adapter is also available to help manage leads for a quick connection to the transmitter. Validated for use with models 90341, 90343, 90347, 91341, 91343, 91347 and 96281.



DIN Un-Shielded



Order Code	Description	Length/Size	Qty
------------	-------------	-------------	-----

Telemetry Accessories

Disposable Pouches and Electrodes



015-0500-02	Ultraview Telemetry pouch (90347)		100/Box
-------------	-----------------------------------	--	---------



690-0289-00	ECG electrode, transparent tape, adult, single use	Adult	30/Box
-------------	--	-------	--------



690-0262-00	ECG transparent electrode, general/stress	Adult	30/Box
-------------	---	-------	--------

DIN Unshielded Lead Wires & Telemetry

TruLink ECG Din unshielded reusable lead wires are validated for use with Spacelabs telemetry systems. They are available in 3 and 5-lead sets, or available to purchase individually in color-coded multi-packs. They can be ordered with a snap or pinch electrode interface. A grouper adapter is also available to help manage leads for a quick connection to the transmitter. Validated for use with models 90341, 90343, 90347, 91341, 91343, 91347 and 96281.



DIN Un-Shielded



Order Code	Description	Length/Size	Qty
------------	-------------	-------------	-----

SpO₂ Cable & Sensors

SpO₂ Cable



700-0014-00	TruLink SpO2 Sensor Adapter Cable Compatible with SL multi-parameter telemetry transmitters (90343/91343/96281) and TruLink SpO2 sensors	60 cm/24 in	1 Cable
-------------	--	-------------	---------

Reusable SpO₂ Sensors



015-0660-00	TruLink SpO ₂ finger sensor	Adult >30 kg/66 lbs.	1 Each
-------------	--	-------------------------	--------

Disposable SpO₂ Sensors



015-0662-00	TruLink SpO ₂ foam sensor	Adult > 30 kg/66 lbs.	24/Box
-------------	--------------------------------------	--------------------------	--------



015-0663-00	TruLink SpO ₂ vinyl sensor	Adult >30 kg/66 lbs.	24/Box
-------------	---------------------------------------	-------------------------	--------



015-0664-00	TruLink SpO ₂ foam sensor	Pediatric 10-50 kg/ 22-110 lbs.	24/Box
-------------	--------------------------------------	---------------------------------------	--------



015-0665-00	TruLink SpO ₂ vinyl sensor	Pediatric 10-50 kg/ 22-110 lbs.	24/Box
-------------	---------------------------------------	---------------------------------------	--------



015-0667-00	TruLink SpO ₂ cloth sensor	Neonatal <3 kg/7 lbs.	24/Box
-------------	---------------------------------------	--------------------------	--------